

Baumit Filling Foam B1



Product:	Fast reacting single component, polyurethane moisture-hardening filler foam with CFC-free propellant as a modified polyurethane foam to fill and seal joints (2 – 5 mm) between installed EPS façade insulation to meet fire-resistant requirements.		
Use:	<ul style="list-style-type: none">▪ Filler foam to back-fill joints and slits up to 5 mm in Baumit external wall insulation systems.		
Properties:	<ul style="list-style-type: none">▪ Filler foam to back-fill joints and slits up to 5 mm in Baumit external wall insulation systems.		
Composition:	Polyurethane, CFC-free.		
Technical Data:	Heat conductivity number:	approx. 0.04 W/mK	
	Fire properties:	B1, as per DIN 4102, T2	
	Density:	approx. 28 kg/dm³	
	Yield (free foam):	approx. litres	
	Colour:	grey	
Delivery:	Aluminium cans with pistol screw attachment, 1 can = 750 ml; 1 box = 12 cans		
	<u>Further important system components can be obtained separately:</u> Baumit Foam Gun (minimum order 1 piece)		
	Baumit foam gun cleaner - 500 ml (minimum order 1 can)		
Notes and General Information:	The air, material and base temperature must be at least +5° C and a maximum of +35°C during processing and the setting process.		

Our recommendations for applications which we give to support the purchasers/handlers from our experience, corresponds to current science and practice. The advice is non-binding, and forms no contractual, legal relationship and no additional obligations in the purchase contract. The advice does not release the purchaser from examining our products for their suitability for their foreseen uses. The general rules of construction equipment must be adhered to. We reserve the right to make changes which serve to provide technical progress and improve the product or its use. When such technical information appears, earlier information is no longer valid. You can find the most current information on our Internet pages. Only our current sales and supply conditions as well as provisions for the placement and use of our silos and mixing facilities apply for all business cases.