SCAN HERE

Sienna

Versatile, contemporary paving.

Sienna is a modern textured block paving product ideal for use in contemporary schemes. With a natural granite appearance and in a range of natural, long lasting colours, Sienna is an attractive and practical block paving solution.

- Manufactured with natural granite aggregates
- Superb hard-wearing granite surface
- Vibrant long-lasting colours
- Creates a striking, contemporary look

208 x 173mm

Single Sizes

50mm

Depths

PrimeTop®

TGA
Textured
Granite Aggregate

Finish

Pedestrian Use | Light Traffic

Refer to relevant guidance in BS 7533



Sienna



Specification

PrimeTop®

Product type	Concrete Paving Block
Manufactured to	BS EN 1338:2003
Surface Layer	Hard-wearing surface layer with a minimum of 4mm and >350kgs/m^3 cement
Surface Finish	Textured Granite Aggregate
Granite Content	Not less than 53% of granite aggregate in surface layer for Silver and Graphite.
Chamfer	Square Edged
Efflorescence	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
Tensile Splitting Strength	Characteristic tensile splitting strength not less than 3.6 MPa
Slip/Skid Resistance	Mean polished skid resistance value (PSRV) >45 Mean unpolished skid resistance value (USRV) >45
Installed to	BS7533-102:2025
NSS	**Plus** Q24 110 **Create** 45-20-64/400
Tolerances on Dimensions (mm)	Length ±2mm, width ±2mm, thickness ±3mm
Abrasion Resistance (mm)	≤ 23mm (Wide Wheel Abrasion Test) Class 3
Durability (Freeze-thaw)	≤ 1.0 kg/m^2 as a mean with no individual value > 1.5 kg/m^2 Class 3
External Fire Performance	Deemed to satisfy when used for roofing
Reaction to Fire	Class A1
Applications	Refer to the relevant part of BS 7533 for the correct sub-base design and the most suitable product size for your application. Available from www.bsigroup.com
Energy used	100% renewable energy
Water used	100% from our rainwater harvesting system and groundwater bore hole
Recycled content	Not less than 6%
EPD VERIFIED **Carbon Footprint**	**EPD Verified** *(2020)* Not more than 14.60kgCo^{2}e/m^2
Recyclable	100% of this product can be recycled
Manufacturing & Delivery	From one location within the UK
breeam rating www.**bre**.co.uk	**50: A**, according to the Green Guide to Specification, 4th Edition 2009. **A+**, can be achieved when used in conjunction with a prepared recycled sub-base.

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

Contact Us
GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email
technical@tobermore.co.uk
sales@tobermore.co.uk

Sienna



Stock

product	size (mm)	colours available	in stock	m² per pack	m² per slice	no. per m²	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
Sienna 50mm	208 x 173 x 50	Graphite, Silver, Mid Grey	YES	14.04	2.34	27.79	390	1638	1628
Sienna Duo 50mm (both sizes in one pack)	208 x 173 x 50 173 x 173 x 50	Graphite, Silver, Mid Grey	YES	13.86	0.99	30.3	210 210	1606	1606

Graphite



Silver



Mid Grey



IMPORTANT INFORMATION

Inevitably on light coloured units any contamination caused by vehicle tyres, leaves, beverages / food etc will be more visible compared to darker coloured units. Therefore careful consideration should be applied when specifying colours in specific applications. If light coloured units are specified it must be accepted that these will require more maintenance if the overall appearance is to be maintained.

Contact Us
GB: 0844 800 5736
NI: 028 7964 2411
ROI: 048 7964 2411

Email
technical@tobermore.co.uk
sales@tobermore.co.uk