

**CEMENTONE WATERSEAL**  
 Supersedes Date: 06-Apr-2017

**Revision date** 24-Jun-2019  
**Revision Number** 1.01

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product Identifier

**Product Name** CEMENTONE WATERSEAL  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Primers, Sealers, and Undercoaters.  
**Uses advised against** None known

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik Limited  
 Common Rd  
 ST16 3EH  
 Stafford UK  
 Tel: +44 (1785) 27 26 25  
 Fax: +44 (1785) 25 72 36

**E-mail address** SDS.box-EU@bostik.com

### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650  
**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

|                                                    |                     |
|----------------------------------------------------|---------------------|
| Aspiration hazard                                  | Category 1 - (H304) |
| Specific target organ toxicity (single exposure)   | Category 3 - (H336) |
| Specific target organ toxicity (repeated exposure) | Category 1 - (H372) |
| Chronic aquatic toxicity                           | Category 2 - (H411) |
| Flammable liquids                                  | Category 3 - (H226) |

### 2.2. Label Elements

Contains: Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), Petroleum distillates, hydrotreated light



**Signal word**  
 DANGER

**Hazard statements**

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

H304 - May be fatal if swallowed and enters airways  
H336 - May cause drowsiness or dizziness  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects  
H226 - Flammable liquid and vapour

## EU Specific Hazard Statements

EUH066 - Repeated exposure may cause skin dryness or cracking

## Precautionary statements

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P260 - Do not breathe mist/vapours/spray  
P271 - Use only outdoors or in a well-ventilated area  
P273 - Avoid release to the environment  
P280 - Wear protective gloves and eye/face protection  
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P391 - Collect spillage  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P501 - Dispose of contents/ container to an approved waste disposal plant

## Additional information

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings if supplied to the general public. This product requires child resistant fastenings when supplied to the general public unless the product is placed on the market in the form of aerosols or in a container with a sealed spray attachment.

## 2.3. Other Hazards

No information available

## PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

| Chemical name                                                           | EC No.    | CAS No.    | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP]                                                           | Specific concentration limit (SCL) | REACH Registration Number |
|-------------------------------------------------------------------------|-----------|------------|----------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------------------------|
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-446-0 | --         | 80 - 100 | STOT SE 3 (H336)<br>STOT RE 1 (H372)<br>Asp. Tox. 1 (H304)<br>Aquatic Chronic 2 (H411)<br>Flam. Liq. 3 (H226)<br>(EUH066) |                                    | 01-2119458049-33-XXXX     |
| Petroleum distillates, hydrotreated light                               | 265-149-8 | 64742-47-8 | 1 - <5   | Asp. Tox. 1 (H304)<br>(EUH066)                                                                                            |                                    | 01-2119484819-18-XXXX     |

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

## Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                    |
| <b>Inhalation</b>                         | Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur. |
| <b>Eye contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.                                                                                                                                                                                                                                                 |
| <b>Skin contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.                                                                                                                                                                                                                                                                                                |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Drink 1 or 2 glasses of water. Aspiration hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical advice/attention.                                                                       |
| <b>Self-protection of the first aider</b> | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.                                                |

### 4.2. Most important symptoms and effects, both acute and delayed

|                 |                                                                                                                                                                                      |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Symptoms</b> | Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 4.3. Indication of any immediate medical attention and special treatment needed

|                        |                                                                                                                                                               |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Note to doctors</b> | Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances. |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

|                                       |                                                                                                 |
|---------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>   | Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.           |
| <b>Unsuitable extinguishing media</b> | Do not use straight streams. CAUTION: Use of water spray when fighting fire may be inefficient. |

### 5.2. Special hazards arising from the substance or mixture

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## **5.3. Advice for firefighters**

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing vapours or mists. Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

### **6.2. Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

**Methods for containment** Dyke far ahead of spill; use dry sand to contain the flow of material. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Eliminate all ignition sources if safe to do so.

### **6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

**Advice on safe handling** Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

## 7.3. Specific end use(s)

### Specific Use(s)

Primers, Sealers, and Undercoaters.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

### Other information

Observe technical data sheet.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Exposure Limits

**Derived No Effect Level (DNEL)** No information available

#### Derived No Effect Level (DNEL)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (--)

|                                |                                          |
|--------------------------------|------------------------------------------|
| Type                           | Worker Long term Systemic health effects |
| Exposure route                 | Inhalation                               |
| Derived No Effect Level (DNEL) | 330 mg/m <sup>3</sup>                    |

|                                |                                          |
|--------------------------------|------------------------------------------|
| Type                           | Worker Long term Systemic health effects |
| Exposure route                 | Dermal                                   |
| Derived No Effect Level (DNEL) | 44 mg/kg bw/d                            |

#### Petroleum distillates, hydrotreated light (64742-47-8)

#### Derived No Effect Level (DNEL)

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (--)

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Type                           | Consumer Long term Systemic health effects |
| Exposure route                 | Inhalation                                 |
| Derived No Effect Level (DNEL) | 71 mg/m <sup>3</sup>                       |

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Type                           | Consumer Long term Systemic health effects |
| Exposure route                 | Dermal                                     |
| Derived No Effect Level (DNEL) | 26 mg/kg bw/d                              |

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Type                           | Consumer Long term Systemic health effects |
| Exposure route                 | Oral                                       |
| Derived No Effect Level (DNEL) | 26 mg/kg bw/d                              |

#### Petroleum distillates, hydrotreated light (64742-47-8)

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

|                                |                                            |
|--------------------------------|--------------------------------------------|
| Type                           | Consumer Long term Systemic health effects |
| Exposure route                 | Oral                                       |
| Derived No Effect Level (DNEL) | 19 mg/kg bw/d                              |

**Predicted No Effect Concentration (PNEC)** No information available.

## 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

## Personal Protective Equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Gloves made of plastic or rubber. Antistatic footwear. Wear fire/flamm resistant/retardant clothing.

**Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Physical state** Liquid  
**Appearance** Liquid  
**Colour** No information available  
**Odour** Characteristic  
**Odour threshold** No information available

| <u>Property</u>                               | <u>Values</u>                | <u>Remarks • Method</u> |
|-----------------------------------------------|------------------------------|-------------------------|
| <b>pH</b>                                     | No data available            |                         |
| <b>Melting point / freezing point</b>         | No data available            |                         |
| <b>Boiling point / boiling range</b>          | 151 °C                       |                         |
| <b>Flash point</b>                            | 38 °C                        |                         |
| <b>Evaporation rate</b>                       | No data available            |                         |
| <b>Flammability (solid, gas)</b>              | Not applicable for liquids . |                         |
| <b>Flammability Limit in Air</b>              |                              |                         |
| <b>Upper flammability or explosive limits</b> | No data available            |                         |
| <b>Lower flammability or explosive limits</b> | No data available            |                         |
| <b>Vapor pressure</b>                         | No data available            |                         |
| <b>Vapour density</b>                         | No data available            |                         |
| <b>Relative density</b>                       | No data available            |                         |
| <b>Water solubility</b>                       | No data available            |                         |
| <b>Solubility(ies)</b>                        | No data available            |                         |
| <b>Partition coefficient</b>                  | No data available            |                         |
| <b>Autoignition temperature</b>               | No data available            |                         |
| <b>Decomposition temperature</b>              | No data available            |                         |
| <b>Kinematic viscosity</b>                    | No data available            |                         |
| <b>Dynamic viscosity</b>                      | No data available            |                         |
| <b>Explosive properties</b>                   | No data available            |                         |
| <b>Oxidising properties</b>                   | No data available            |                         |

### 9.2. Other information

**Solid content (%)** No information available  
**Softening Point** No information available  
**Molecular weight** No information available

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

|                 |                          |
|-----------------|--------------------------|
| VOC Content (%) | No information available |
| Liquid Density  | No information available |
| Bulk density    | No information available |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reactivity No information available.

### 10.2. Chemical stability

Stability Stable under normal conditions.

#### Explosion Data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

### 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Information on likely routes of exposure

##### Product Information

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

vomiting.

## Numerical measures of toxicity

### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

### Component Information

| Chemical name                                                                       | Oral LD50                           | Dermal LD50                         | Inhalation LC50              |
|-------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|------------------------------|
| Hydrocarbons, C9-C12,<br>n-alkanes, isoalkanes, cyclics,<br>aromatics (2-25%)<br>-- | LD50 >15000 mg/Kg (rat)<br>OECD 401 | LD50 > 3400 mg/kg (rat)<br>OECD 402 | LC50 (4hrs) >13.1 mg/l (rat) |
| Petroleum distillates,<br>hydrotreated light<br>64742-47-8                          | > 5000 mg/kg ( Rat )                | > 2000 mg/kg ( Rabbit )             | > 5.2 mg/L ( Rat ) 4 h       |

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

| Chemical name                                                                    | Algae/aquatic plants                                             | Fish       | Toxicity to Micro-organisms | Crustacea                    | M-Factor |
|----------------------------------------------------------------------------------|------------------------------------------------------------------|------------|-----------------------------|------------------------------|----------|
| Hydrocarbons, C9-C12,<br>n-alkanes, isoalkanes,<br>cyclics, aromatics<br>(2-25%) | EL50 (72h) = 4.1<br>mg/l (<br>Pseudokirchnerella<br>subcapitata) | 10-30 mg/l | -                           | 10-30mg/l (daphnia<br>magna) | -        |

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

| --                                                   | OECD 401 |                                                                                                                              |   |                                                   |   |
|------------------------------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------|---|
| Petroleum distillates, hydrotreated light 64742-47-8 | -        | LC50: =2.4mg/L (96h, Oncorhynchus mykiss) LC50: =45mg/L (96h, Pimephales promelas) LC50: =2.2mg/L (96h, Lepomis macrochirus) | - | LC50: =4720mg/L (96h, Den-dronereides heteropoda) | - |

## 12.2. Persistence and degradability

Persistence and degradability No information available.

## 12.3. Bioaccumulative potential

Bioaccumulation No information available.

| Chemical name                                        | Partition coefficient | Bioconcentration factor (BCF) |
|------------------------------------------------------|-----------------------|-------------------------------|
| Petroleum distillates, hydrotreated light 64742-47-8 | -                     | 159                           |

## 12.4. Mobility in soil

Mobility in soil No information available.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The components in this formulation do not meet the criteria for classification as PBT or vPvB.

| Chemical name                                        | PBT and vPvB assessment         |
|------------------------------------------------------|---------------------------------|
| Petroleum distillates, hydrotreated light 64742-47-8 | The substance is not PBT / vPvB |

## 12.6. Other adverse effects

Other adverse effects No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

Other information Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: Transport information

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

## Land transport (ADR/RID)

|                                 |                                                         |
|---------------------------------|---------------------------------------------------------|
| 14.1 UN Number                  | UN1263                                                  |
| 14.2 Proper Shipping Name       | Paint, Environmentally Hazardous                        |
| 14.3 Transport hazard class(es) | 3                                                       |
| Labels                          | 3                                                       |
| 14.4 Packing Group              | III                                                     |
| Description                     | UN1263, Paint, 3, III, (D/E), Environmentally Hazardous |
| 14.5 Environmental hazards      | Yes                                                     |
| 14.6 Special Provisions         | 163, 650, 367                                           |
| Classification Code             | F1                                                      |
| Tunnel restriction code         | (D/E)                                                   |
| Limited Quantity (LQ)           | 5 L                                                     |
| ADR Hazard Id (Kemmler Number)  | 30                                                      |

## IMDG

|                                                                               |                                                                                                                                |
|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 14.1 UN number                                                                | UN1263                                                                                                                         |
| 14.2 Proper Shipping Name                                                     | Paint (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), Marine Pollutant                              |
| 14.3 Transport hazard class(es)                                               | 3                                                                                                                              |
| 14.4 Packing group                                                            | III                                                                                                                            |
| Description                                                                   | UN1263, Paint (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 3, III, (38°C c.c.), Marine Pollutant |
| 14.5 Marine Pollutant                                                         | P                                                                                                                              |
| 14.6 Special Provisions                                                       | 163, 223, 367, 955                                                                                                             |
| Limited Quantity (LQ)                                                         | 5 L                                                                                                                            |
| EmS-No.                                                                       | F-E, S-E                                                                                                                       |
| 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | No information available                                                                                                       |

## Air transport (ICAO-TI / IATA-DGR)

|                                 |                       |
|---------------------------------|-----------------------|
| 14.1 UN number                  | UN1263                |
| 14.2 Proper Shipping Name       | Paint                 |
| 14.3 Transport hazard class(es) | 3                     |
| 14.4 Packing group              | III                   |
| Description                     | UN1263, Paint, 3, III |
| 14.5 Environmental hazards      | Yes                   |
| 14.6 Special Provisions         | A3, A72, A192         |
| Limited Quantity (LQ)           | 10 L                  |
| ERG Code                        | 3L                    |

## **Section 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

##### **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

## EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

## Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS  
P5b - FLAMMABLE LIQUIDS  
P5c - FLAMMABLE LIQUIDS  
E2 - Hazardous to the Aquatic  
Environment in Category Chronic 2

## Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

## Persistent Organic Pollutants

Not applicable

## National Regulations

### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No  
Chemical Safety Assessment has been carried out for this mixture

## SECTION 16: Other information

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking  
H226 - Flammable liquid and vapour  
H304 - May be fatal if swallowed and enters airways  
H336 - May cause drowsiness or dizziness  
H372 - Causes damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend SECTION 8: Exposure controls/personal protection

|         |                                                        |      |                                  |
|---------|--------------------------------------------------------|------|----------------------------------|
| TWA     | TWA (time-weighted average)                            | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value                                    | *    | Skin designation                 |
| PBT     | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |      |                                  |
| STOT RE | Specific target organ toxicity - Repeated exposure     |      |                                  |
| STOT SE | Specific target organ toxicity - Single exposure       |      |                                  |
| EWC     | European Waste Catalogue                               |      |                                  |

## Key literature references and sources for data

No information available

## Prepared By

Product Safety & Regulatory Affairs

# SAFETY DATA SHEET

CEMENTONE WATERSEAL  
Supersedes Date: 06-Apr-2017

Revision date 24-Jun-2019  
Revision Number 1.01

---

Revision date 24-Jun-2019

Indication of changes

Revision note Not applicable.

Training Advice No information available

Further information No information available

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**