

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

EVO-STIK GUN-O-PRENE ADHESIVE Supercedes Date: 07-Apr-2020 Revision date 02-Jul-2020 Revision Number 3

\_\_\_

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product Identifier

Product Name EVO-STIK GUN-O-PRENE ADHESIVE

Pure substance/mixture Mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesive.
Uses advised against None known

#### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

**United Kingdom** +44 (1785) 272650

**Ireland** +353 (1) 8624900 (Monday- Friday 9am-5pm)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin corrosion/irritation	Category 2 - (H315)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 2 - (H225)

#### 2.2. Label Elements





#### Signal word DANGER

### **Hazard statements**

H315 - Causes skin irritation.

H412 - Harmful to aquatic life with long lasting effects.

H225 - Highly flammable liquid and vapour.

EVO-STIK GUN-O-PRENE ADHESIVE Supercedes Date: 07-Apr-2020

#### **Precautionary statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 - Avoid release to the environment.

P280 - Wear protective gloves and eye/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents/ container to an approved waste disposal plant.

#### **Additional information**

This product requires tactile warnings if supplied to the general public.

#### 2.3. Other Hazards

In use may form flammable/explosive vapour-air mixture

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT) This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable

## 3.2. Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	927-510-4	1	10 - <20	STOT SE 3 (H336) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Aquatic Chronic 2 (H411) Flam. Liq. 2 (H225)		01-2119475515- 33-xxxx
Hydrocarbons, C6, isoalkanes, <5% n-hexane	931-254-9	-	5 - <10	STOT SE 3 (H336) Asp. Tox. 1 (H304) Skin Irrit. 2 (H315) Aquatic Chronic 2 (H411) Flam Liq. 2 (H225) (EUH066)		01-2119484651- 34-XXXX

## Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

Revision date 02-Jul-2020

**Revision Number** 3

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

Revision date 02-Jul-2020 Revision Number 3

\_\_\_

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if

present and easy to do. Continue rinsing. Consult an ophthalmologist.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention if irritation develops and persists.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.

**Self-protection of the first aider** Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more

information. Avoid contact with skin, eyes or clothing.

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable extinguishing media** Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media Do not use straight streams. CAUTION: Use of water spray when fighting fire may be

inefficient.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated

fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon dioxide (CO2). Silicon oxides.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## SECTION 6: Accidental release measures

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

Revision date 02-Jul-2020 Revision Number 3

\_\_\_\_\_

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing. Avoid breathing vapours or mists. Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static

discharges. All equipment used when handling the product must be grounded.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Dyke far ahead of spill; use dry sand to contain the flow of material. Absorb with earth,

sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled

containers. Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Eliminate all ignition sources if safe to do so.

6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from

heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when

using this product.

**General hygiene considerations** Keep away from food, drink and animal feedingstuffs. Do not eat, drink or smoke when

using this product. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wear suitable

gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the

particular national regulations.

## 7.3. Specific end use(s)

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

Revision date 02-Jul-2020 Revision Number 3

Specific Use(s)

Adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

**Exposure Limits** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Chemical name	European Union	Ireland	United Kingdom
Kaolin	-	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1332-58-7		_	STEL: 6 mg/m <sup>3</sup>
Isopropyl alcohol	-	TWA: 200 ppm	TWA: 400 ppm
67-63-0		STEL: 400 ppm	TWA: 999 mg/m <sup>3</sup>
		Sk*	STEL: 500 ppm
			STEL: 1250 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL) Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (			
)	aikanes, cyclics (		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	2085 mg/m <sup>3</sup>	
worker Long term Systemic health effects	Dermal	300 mg/kg bw/d	

Derived No Effect Level (DNEL) Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (			
<u>)</u>			- Ia
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	447 mg/m³	
Consumer Long term Systemic health effects	Dermal	149 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	149 mg/kg bw/d	

**Predicted No Effect Concentration** No information available. **(PNEC)** 

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

**Eye/face protection** Tight sealing safety goggles.

Hand protection Wear protective gloves. Gloves must conform to standard EN 374. The breakthrough

EVO-STIK GUN-O-PRENE ADHESIVE Supercedes Date: 07-Apr-2020

time of the gloves depends on the material and the thickness as well as the temperature. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves should be

Revision date 02-Jul-2020

**Revision Number** 3

replaced regularly and if there is any sign of damage to the glove material.

Skin and body protection Antistatic footwear. Wear fire/flame resistant/retardant clothing.

**Respiratory protection** In case of mist, spray or aerosol exposure wear suitable personal respiratory protection

and protective suit. In case of inadequate ventilation wear respiratory protection.

**Recommended filter type:** Organic gases and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Paste
Colour Light yellow
Odour Solvent

Odour threshold No information available

Property Values Remarks • Method

pH No data availableMelting point / freezing pointNo data available

**Boiling point / boiling range**  $66 \, ^{\circ}\text{C}$  **Flash point**  $-20 \, ^{\circ}\text{C}$ 

**Evaporation rate** No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour pressureNo data availableVapour densityNo data availableRelative densityNo data availableWater solubilityNo data availableSolubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data available

**Decomposition temperature** 

Kinematic viscosity > 700 mm²/s

Dynamic viscosity No data available

Explosive properties No data available

Oxidising properties No data available

9.2. Other information

Solid content (%)

VOC Content (%)

No information available
No information available

Density 1.43

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

**Reactivity** No information available.

## 10.2. Chemical stability

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

\_\_

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

**Conditions to avoid** Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions. Stable under recommended storage conditions.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Irritating to eyes.

**Skin contact** Causes skin irritation.

**Ingestion** Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 4,132.20 mg/kg

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	LD50 >5840 mg/kg Rat	LD50 >2920 mg/kg (Rattus)	LC50 >23.3 mg/L (4h)(Rat, vapour) (OECD 403)
Hydrocarbons, C6, isoalkanes,	>16750 mg/Kg (Rattus)	>3350 mg/Kg (Oryctolagus	259354 mg/m³ (vapour) (rat

Revision date 02-Jul-2020

**Revision Number** 3

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

Revision date 02-Jul-2020 Revision Number 3

<5% n-hexane	cuniculus) OECD 402	OECD 403)
	, , , , , , , , , , , , , , , , , , ,	,

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

**Reproductive toxicity**Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Hydrocarbons, C7,	ErL50 (72h) =	LL50 (96h)	-	EL50 (48h) =		
n-alkanes, isoalkanes,	10-30 mg/L	>13.4 mg/L		3.0 mg/L		
cyclics	(Pseudokirchner	(Oncorhynchus		(Daphnia		
	iella	mykiss)		magna)		
	subcapitata)	OECD 203				
Hydrocarbons, C6,	EL50 (72h) =	LL50 (96h) =	-	EL50 (48h)=		
isoalkanes, <5%	13.6 mg/l	18.27 mg/l		31.9 mg/l		
n-hexane	(Pseudokirchner	(Oncorhynchus		(Daphnia		
	iella	mykiss)		magna)		
	subcapitata)					

## 12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information				
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (				
Method	Exposure time	Value	Results	

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

Revision date 02-Jul-2020 Revision Number 3

\_\_\_\_\_

OECD Test No. 301F: Ready	28 days	98%	Readily biodegradable
Biodegradability: Manometric			
Respirometry Test (TG 301 F)			

### 12.3. Bioaccumulative potential

Bioaccumulation

There is no data for this product.

### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Hydrocarbons, C6, isoalkanes, <5%	3.6	501
n-hexane		

#### 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

Other adverse effects No information available.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**European Waste Catalogue** 

08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances

15 01 10\*: Packaging containing residues of or contaminated by dangerous substances

Other information

Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

**Note:** The shipping descriptions shown here are for bulk shipments only, and may not apply to

shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material.

Land transport (ADR/RID)

**14.1 UN number** UN1133 **14.2 Proper Shipping Name** Adhesives

14.3 Transport hazard class(es) 3
Labels 3

**EVO-STIK GUN-O-PRENE ADHESIVE** 

Supercedes Date: 07-Apr-2020

\_\_\_\_\_\_

14.4 Packing group

**Description** UN1133, Adhesives, 3, II, (D/E)

14.5 Environmental hazards Not applicable

14.6 Special Provisions 640D
Classification code F1
Tunnel restriction code
Limited Quantity (LQ) 5 L
ADR Hazard Id (Kemmler 33

Number)

**IMDG** 

**14.1 UN number** UN1133 **14.2 Proper Shipping Name** Adhesives

14.3 Transport hazard class(es) 3
14.4 Packing group

**Description** UN1133, Adhesives, 3, II, (-20°C c.c.)

 14.5 Marine pollutant
 Np

 14.6 Special Provisions
 None

 Limited Quantity (LQ)
 5 L

 EmS-No
 F-E. S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

#### Air transport (ICAO-TI / IATA-DGR)

14.1 UN number UN1133
14.2 Proper Shipping Name Adhesives
14.3 Transport hazard class(es) 3

14.4 Packing group

**Description** UN1133, Adhesives, 3, II

**14.5 Environmental hazards** Not applicable

14.6 Special Provisions A3 Limited Quantity (LQ) 1 L ERG Code 3L

## Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

## Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## **SVHC: Substances of Very High Concern for Authorisation:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

## Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Revision date 02-Jul-2020

**Revision Number** 3

EVO-STIK GUN-O-PRENE ADHESIVE Supercedes Date: 07-Apr-2020

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS

Revision date 02-Jul-2020

**Revision Number** 3

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

**Persistent Organic Pollutants** 

Not applicable

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

## **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H225 - Highly flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Limit Value
\* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

## Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 02-Jul-2020

Indication of changes

Revision note Not applicable.

Training Advice Provide adequate information, instruction, and training for operator

Further information No information available

EVO-STIK GUN-O-PRENE ADHESIVE Supercedes Date: 07-Apr-2020 Revision date 02-Jul-2020 Revision Number 3

\_\_\_\_\_\_

\_\_

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**